

Index							
DW Symbol	C/P	%Strike	Eff. Gearing	Sensitivity	DaysPerOneTick	Days to Expiry	Quote Size
1 S5041C1912A	Call	116.70%	33.3	0.13	5.21	63	100,000
2 S5041C1912B	Call	105.90%	19.9	0.75	1.5	63	10,000,000
3 S5041C1912C	Call	108.20%	22.8	0.55	1.83	63	5,000,000
4 S5041C1912D	Call	110.60%	25.4	0.39	2.22	63	200,000
5 S5041C1912E	Call	103.50%	17.9	0.76	1.75	63	2,000,000
6 S5041C1912F	Call	101.20%	16	1.03	1.56	63	1,000,000
7 S5041P1912A	Put	96.00%	-17.1	-0.79	1.62	63	2,000,000
8 S5041P1912B	Put	96.50%	-16.8	-0.79	1.68	63	5,000,000
9 S5041P1912C	Put	98.80%	-15	-1.03	1.6	63	10,000,000
10 S5041P1912D	Put	94.10%	-18.2	-0.66	1.66	63	2,000,000
11 S5041P1912E	Put	101.20%	-13.3	-1.27	1.63	63	2,000,000
12 S5041P1912F	Put	103.50%	-11.6	-1.38	1.93	63	1,000,000

Single Stock							
DW Symbol	C/P	%Strike	Eff. Gearing	Sensitivity	DaysPerOneTick	Days to Expiry	
1 ADVA41C1910B	Call	88.60%	8.7	3.39	15.06	4	
2 ADVA41C1912A	Call	100.70%	8.7	1.51	2.45	53	
3 ADVA41C1912B	Call	100.70%	9.4	1.5	2.65	53	
4 ADVA41C2001A	Call	108.60%	8.1	0.85	4.41	88	
5 ADVA41P1911A	Put	67.90%	0	0	N/A	11	
6 ADVA41P1912A	Put	81.50%	-11.3	-0.34	5.11	60	
7 ADVA41P2001A	Put	84.00%	-8.5	-0.65	3.94	88	
8 AEON41C1912A	Call	118.80%	8.6	0.42	3.69	45	
9 AMAT41C1912A	Call	111.40%	8.6	0.74	2.3	45	
10 AMAT41C2002A	Call	127.80%	5.9	0.21	10.58	109	
11 AMAT41C2003A	Call	118.40%	5.3	0.73	4.28	130	
12 AMAT41C2004A	Call	113.20%	4.6	0.34	11.85	160	
13 AOT41C1912A	Call	100.20%	9.2	1.32	2.33	53	
14 AOT41C1912B	Call	100.20%	10	1.32	2.52	53	
15 AOT41C2002A	Call	108.40%	7.6	0.99	3.63	115	
16 AOT41C2003A	Call	113.00%	6.9	0.75	4.64	139	
17 AOT41P1911A	Put	74.70%	-21.9	-0.04	14.71	32	
18 AOT41P1911B	Put	74.70%	-26	-0.03	26.45	32	
19 AOT41P1912A	Put	90.40%	-10.3	-0.71	2.44	53	
20 AOT41P2002A	Put	82.90%	-6.3	-0.67	3.48	125	
21 AWC41C2003A	Call	115.70%	5.8	0.75	10.12	139	
22 AWC41C2004A	Call	128.90%	5.9	0.69	9.63	160	
23 BANP41C1911A	Call	135.50%	22.6	0.03	59.28	32	
24 BANP41C2002A	Call	115.90%	6.9	0.75	8.39	102	
25 BANP41C2003A	Call	122.70%	5.9	0.63	10.28	132	
26 BANP41P1912A	Put	113.30%	-4.2	-2.37	5.12	66	
27 BANP41P2001A	Put	94.60%	-5.3	-1.19	5.29	88	
28 BANP41P2002A	Put	86.10%	-5.5	-0.82	6.49	102	
29 BBL41C1912A	Call	129.50%	17.1	0.12	9.1	53	
30 BBL41C2001A	Call	116.40%	9.6	0.57	4.01	95	
31 BBL41C2003A	Call	110.00%	7.2	0.78	4.7	139	
32 BBL41P2001A	Put	105.60%	-5.6	-1.92	2.07	74	
33 BBL41P2002A	Put	97.20%	-5.3	-1.1	3.27	125	
34 BCH41C2001A	Call	104.70%	6.7	1.04	4.48	74	
35 BCPG41C2002A	Call	109.60%	5	0.9	5.37	125	
36 BDMS41C1911A	Call	120.60%	32.9	0.01	34.21	11	
37 BDMS41C2001A	Call	117.80%	9.2	0.58	4.02	74	
38 BDMS41C2002A	Call	109.50%	6	0.85	4.9	125	
39 BDMS41P1911A	Put	89.60%	-23.4	-0.12	4.95	11	
40 BDMS41P2002A	Put	85.30%	-5.7	-0.75	3.58	109	
41 BEAU41C1911A	Call	242.60%	0	0	N/A	32	
42 BEAU41P1911A	Put	259.40%	-0.6	-0.57	N/A	32	
43 BEC41C1912A	Call	168.00%	8.6	0.12	12.86	60	
44 BEC41C2001A	Call	180.40%	8.7	0.04	40.19	74	
45 BEC41C2002A	Call	147.70%	5.4	0.35	8.89	109	
46 BEC41C2003A	Call	127.50%	4	0.69	6.83	139	
47 BEM41C2001A	Call	108.80%	7.7	0.86	7.53	74	
48 BEM41C2002A	Call	115.90%	6.6	0.8	9.94	125	

	DW Symbol	C/P	%Strike	Eff. Gearing	Sensitivity	DaysPerOneTick	Days to Expiry
49	BEM41P1911A	Put	92.20%	-10.8	-0.94	3.58	32
50	BEM41P2003A	Put	89.00%	-4.8	-0.63	12.43	139
51	BGRI41C1911A	Call	69.10%	3.2	1.79	75.06	11
52	BGRI41C2001A	Call	78.20%	3.7	1.92	6.77	81
53	BGRI41C2002A	Call	88.60%	4.1	1.44	5.29	109
54	BGRI41P1912A	Put	60.50%	-10.5	-0.05	20.44	66
55	BH41C1911A	Call	163.00%	0	0	N/A	32
56	BH41C2002A	Call	143.30%	11.3	0.17	12.55	102
57	BH41C2003A	Call	121.00%	6.8	0.58	6.54	139
58	BH41P1911A	Put	143.00%	-2.3	-1.58	N/A	11
59	BJC41C1912A	Call	110.80%	9.8	0.74	3.71	53
60	BJC41C2002A	Call	125.30%	7.5	0.58	5.97	115
61	BJC41P1912A	Put	93.70%	-7.3	-1.08	3.12	66
62	BTS41C1912A	Call	103.70%	7.9	1.19	5.1	66
63	BTS41C2003A	Call	108.60%	5.5	0.9	9.84	153
64	BTS41P1912A	Put	78.30%	-11.1	-0.34	8.4	66
65	BTS41P2001A	Put	87.90%	-6.9	-0.79	6	88
66	CBG41C2001A	Call	99.00%	4.4	1.12	1.78	74
67	CBG41C2001B	Call	99.00%	4.8	1.11	1.98	74
68	CBG41C2002A	Call	102.90%	3.8	0.92	2.56	115
69	CBG41C2003A	Call	109.40%	4	0.88	2.86	139
70	CBG41P2001A	Put	69.90%	-5.1	-0.35	2.16	74
71	CBG41P2002A	Put	78.40%	-3.9	-0.67	1.74	102
72	CBG41P2003A	Put	86.60%	-3	-0.8	2	132
73	CENT41C1912A	Call	142.50%	23.1	0.01	171.43	38
74	CENT41C2001A	Call	133.10%	8.3	0.32	12.8	88
75	CENT41C2003A	Call	123.10%	6	0.51	13.84	139
76	CENT41P1910A	Put	132.90%	-3	-2.82	N/A	4
77	CENT41P2001A	Put	98.50%	-4.4	-1.4	4.8	88
78	CENT41P2002A	Put	108.50%	-3.2	-1.69	6.52	125
79	CENT41P2003A	Put	98.50%	-3.3	-1.36	6.04	139
80	CHG41C1912A	Call	104.10%	7.3	0.94	4.34	45
81	CK41C1911A	Call	139.10%	23.2	0	122.45	25
82	CK41C2001A	Call	125.70%	7.8	0.46	5.36	88
83	CKP41C2002A	Call	109.80%	5.3	0.88	7.68	115
84	COM741C1911A	Call	83.50%	4.8	6.19	1.95	32
85	COM741C2001A	Call	103.10%	4.8	1.1	6.33	95
86	COM741C2002A	Call	93.50%	4	2.96	3.58	115
87	CPAL41C2001A	Call	129.50%	12.2	0.28	5.57	81
88	CPAL41C2002A	Call	114.90%	8.2	0.69	4.19	115
89	CPAL41C2003A	Call	119.60%	7.8	0.75	3.76	132
90	CPAL41P1911A	Put	91.60%	-12	-0.79	1.49	32
91	CPAL41P1912A	Put	98.90%	-6.8	-1.45	1.71	60
92	CPAL41P1912B	Put	98.90%	-7.9	-1.45	1.96	60
93	CPAL41P2003A	Put	89.00%	-5.9	-0.95	3.09	132
94	CPF41C2001A	Call	129.70%	11.5	0.27	15.99	74
95	CPF41C2002A	Call	115.10%	6.8	0.66	12.45	115
96	CPF41P1910A	Put	83.40%	0	0	N/A	4
97	CPF41P1912A	Put	94.30%	-8.3	-1.27	3.92	45
98	CPF41P2003A	Put	91.30%	-4.4	-1.14	7.57	139
99	CPN41C2001A	Call	126.70%	10.1	0.39	5.92	95
100	CPN41C2002A	Call	123.20%	9.1	0.51	5.08	102
101	CPN41C2003A	Call	107.10%	6.2	0.93	4.83	132
102	CPN41P1912A	Put	99.30%	-8	-1.86	1.47	45
103	CPN41P2003A	Put	87.60%	-5.6	-0.8	4.1	132
104	DTAC41C1912A	Call	102.50%	5.8	1.09	2.39	60
105	DTAC41C2002A	Call	118.80%	5.4	0.69	3.91	109
106	DTAC41P2001A	Put	81.60%	-5.1	-0.74	2.45	88
107	DTAC41P2002A	Put	90.20%	-3.8	-0.98	2.6	109
108	EA41C1912A	Call	132.30%	7.6	0.41	4.34	66
109	EA41C2002A	Call	113.40%	5.4	0.78	4.87	109
110	EA41P1912A	Put	94.50%	-4.8	-1.24	1.43	45
111	EA41P2003A	Put	97.60%	-3.1	-1.1	3.87	139
112	EGCO41C1911A	Call	89.50%	9	2.09	3.45	11
113	EGCO41C2001A	Call	94.00%	6.3	1.58	2.79	88

	DW Symbol	C/P	%Strike	Eff. Gearing	Sensitivity	DaysPerOneTick	Days to Expiry
114	EGCO41C2002A	Call	102.50%	6.5	1.13	2.97	115
115	EGCO41C2003A	Call	105.10%	6.3	0.94	3.7	139
116	EGCO41P1911A	Put	65.80%	0	0	N/A	11
117	EGCO41P2001A	Put	73.50%	-10.4	-0.21	4.99	81
118	EGCO41P2002A	Put	77.50%	-7.4	-0.48	3.13	115
119	ESSO41C1911A	Call	178.40%	0	0	N/A	11
120	ESSO41C2002A	Call	142.30%	6.1	0.36	9.29	109
121	ESSO41C2003A	Call	132.00%	4.6	0.54	8.2	139
122	GLOB41C2001A	Call	129.90%	8.7	0.38	7.89	81
123	GLOB41P2001A	Put	102.30%	-4.3	-1.2	4.48	81
124	GPSC41C1911A	Call	68.60%	3.1	1.27	12.67	32
125	GPSC41C1912A	Call	79.30%	4	2.08	3.09	60
126	GPSC41C2002A	Call	89.60%	4	1.26	3.18	109
127	GPSC41C2003A	Call	94.10%	4.1	1.34	2.9	132
128	GPSC41P1912A	Put	57.60%	-10.6	-0.07	8.47	66
129	GPSC41P2003A	Put	74.50%	-4.2	-0.45	2.95	132
130	GULF41C1910B	Call	59.50%	2.5	1.69	24.42	4
131	GULF41C1911A	Call	75.70%	3.9	2.11	6.51	32
132	GULF41C2001A	Call	82.70%	4	2.04	3.01	95
133	GULF41C2001B	Call	82.70%	4.1	2.07	3.34	95
134	GULF41C2002A	Call	104.10%	5.6	0.96	3	109
135	GULF41C2003A	Call	98.30%	4.7	1.13	3.36	130
136	GULF41P1911A	Put	50.70%	0	0	N/A	18
137	GULF41P1911B	Put	50.70%	0	0	N/A	18
138	GULF41P1912A	Put	57.20%	-14	-0.01	38.87	53
139	GULF41P1912B	Put	57.20%	-24.7	-0.01	86.7	53
140	GULF41P2001A	Put	70.00%	-8.7	-0.19	5.63	88
141	GULF41P2002A	Put	80.90%	-5.5	-0.54	2.87	109
142	GULF41P2003A	Put	87.30%	-3.3	-0.8	2.46	153
143	GUNK41C2002A	Call	125.60%	7.3	0.48	8.93	109
144	GUNK41C2003A	Call	113.20%	5.3	0.82	7.62	139
145	HANA41C2002A	Call	120.00%	5.2	0.73	7.83	109
146	HMPR41C1911A	Call	119.20%	20.2	0.19	7.38	25
147	HMPR41C2002A	Call	117.20%	7.5	0.74	6.75	115
148	HMPR41C2003A	Call	111.00%	6	0.81	7.61	132
149	HMPR41P1911A	Put	89.90%	-13.5	-0.73	2.94	32
150	HMPR41P2003A	Put	90.70%	-4.8	-1.02	5.21	132
151	INTU41C1912A	Call	102.70%	8.7	1.21	2.62	60
152	INTU41C2003A	Call	110.60%	6.3	1.01	3.86	132
153	INTU41C2004A	Call	116.90%	6.1	0.72	5.32	160
154	INTU41P2001A	Put	80.40%	-8.6	-0.49	4.26	95
155	INTU41P2003A	Put	92.60%	-5	-1.03	3.69	139
156	IRPC41C1911A	Call	157.90%	0	0	N/A	25
157	IRPC41C1911B	Call	157.90%	0	0	614.26	25
158	IRPC41C1912A	Call	169.60%	17.1	0	719.02	53
159	IRPC41C2001A	Call	129.40%	8.3	0.36	8.21	88
160	IRPC41C2002A	Call	145.40%	8.6	0.27	9.81	102
161	IRPC41C2002B	Call	145.40%	9.1	0.24	11.21	102
162	IRPC41C2003A	Call	121.40%	5.9	0.64	7.31	132
163	IRPC41P1912A	Put	135.60%	-2.6	-3.11	14.68	66
164	IRPC41P2001A	Put	98.60%	-4.9	-1.69	3	88
165	IRPC41P2002A	Put	109.70%	-3.8	-2.36	3.49	102
166	IVL41C1912A	Call	136.60%	9.1	0.26	12	66
167	IVL41C2001A	Call	174.50%	11.5	0.04	58.17	81
168	IVL41C2002A	Call	175.20%	8.2	0.13	24.53	102
169	IVL41C2002B	Call	175.20%	9.1	0.09	32.86	102
170	IVL41C2003A	Call	149.20%	6.4	0.34	14.21	130
171	IVL41P1912A	Put	153.60%	-1.8	-1.83	53.43	45
172	IVL41P2001A	Put	134.70%	-2.2	-2.96	6.83	81
173	IVL41P2002A	Put	117.00%	-2.7	-1.3	8.42	102
174	IVL41P2003A	Put	107.30%	-2.6	-1.54	5.78	132
175	JAS41C1912A	Call	131.60%	7.8	0.42	5.8	60
176	JAS41C2001A	Call	114.60%	4.8	0.84	4.93	88
177	JAS41P1912A	Put	99.10%	-4.6	-1.44	2.88	60
178	JAS41P2001A	Put	86.70%	-3.4	-0.94	3.26	88

	DW Symbol	C/P	%Strike	Eff. Gearing	Sensitivity	DaysPerOneTick	Days to Expiry
179	KBAN41C2001A	Call	143.80%	15.2	0.06	21.3	81
180	KBAN41C2002A	Call	133.70%	11.2	0.26	8.01	109
181	KBAN41C2003A	Call	125.80%	7.1	0.53	5.94	153
182	KBAN41C2004A	Call	118.80%	6.4	0.67	5.52	160
183	KBAN41P1912A	Put	117.40%	-4.5	-3.21	2.51	45
184	KBAN41P2002A	Put	100.60%	-4.6	-1.52	2.59	109
185	KCE41C1911A	Call	140.60%	14.2	0.07	12.6	25
186	KCE41C2002A	Call	140.80%	5.3	0.45	7.08	109
187	KCE41C2003A	Call	127.10%	4.1	0.75	5.95	139
188	KKP41C1910A	Call	115.50%	0	0	371.81	4
189	KKP41C2002A	Call	114.00%	7.9	0.8	4.79	125
190	KTb41C2002A	Call	124.40%	9.7	0.47	8.48	102
191	KTb41C2003A	Call	113.10%	6.9	0.8	8.15	139
192	KTC41C2001A	Call	123.70%	5.4	0.6	4.86	88
193	KTC41P1910A	Put	83.40%	-33.8	-0.06	4.16	4
194	KTC41P2001A	Put	95.80%	-3.3	-1.26	2.51	88
195	LH41C1911A	Call	127.70%	20.4	0.04	27.94	32
196	LH41C2002A	Call	116.40%	7.3	0.78	5.38	115
197	LH41P1911A	Put	96.20%	-10.2	-0.73	3.29	32
198	LH41P2003A	Put	88.60%	-4.8	-0.79	5.17	132
199	MINT41C2001A	Call	123.40%	8.4	0.46	8.42	88
200	MINT41C2002A	Call	119.20%	6.6	0.74	6.94	115
201	MINT41P1912A	Put	94.60%	-7.5	-1.14	3.45	53
202	MTC41C1911A	Call	104.50%	9.7	0.88	1.62	25
203	MTC41C2003A	Call	109.10%	4.6	0.99	3.76	132
204	MTC41P1911A	Put	79.70%	-13.3	-0.21	3.2	25
205	MTC41P2003A	Put	83.00%	-3.8	-0.75	3.18	132
206	ORI41C1911A	Call	118.50%	8.7	0.42	3.87	32
207	ORI41C2002A	Call	127.20%	4.7	0.57	6.69	115
208	OSP41C1912A	Call	93.00%	5	1.53	3.32	60
209	OSP41C2003A	Call	99.50%	3.9	1.21	5.26	139
210	OSP41P1912A	Put	69.80%	-8.4	-0.17	7.81	60
211	OSP41P2003A	Put	79.40%	-3.9	-0.64	4.94	139
212	PLAN41C1910A	Call	92.10%	11.1	1.55	2.56	4
213	PLAN41C2002A	Call	115.60%	5.5	0.96	4.91	125
214	PRM41C2002A	Call	122.90%	4.2	0.78	3.8	102
215	PTG41C1912A	Call	119.40%	7.5	0.62	3.19	53
216	PTG41C2002A	Call	106.90%	4	0.93	4.44	115
217	PTG41P1911A	Put	81.60%	-9.2	-0.37	2.33	25
218	PTG41P1912A	Put	91.10%	-4.7	-1.15	1.87	60
219	PTT41C1910B	Call	121.70%	0	0	N/A	4
220	PTT41C1912A	Call	103.20%	7.6	1.22	3.77	66
221	PTT41C2001A	Call	120.30%	9.3	0.56	6.22	88
222	PTT41C2002A	Call	111.40%	7	0.79	6.61	115
223	PTT41P1911A	Put	93.20%	-22.8	-0.6	1.82	11
224	PTT41P2001A	Put	76.70%	-8.5	-0.35	7.21	88
225	PTTE41C2001A	Call	133.50%	9.5	0.32	5.53	81
226	PTTE41C2001B	Call	135.80%	10.7	0.23	7.53	81
227	PTTE41C2002A	Call	110.40%	6	0.8	4.42	109
228	PTTE41C2003A	Call	121.40%	6	0.64	4.95	130
229	PTTE41P2002A	Put	96.00%	-4.2	-1.18	3.04	115
230	PTTE41P2003A	Put	89.20%	-4.2	-0.92	3.46	132
231	PTTG41C1911A	Call	139.70%	26.6	0.02	44.38	25
232	PTTG41C1911B	Call	139.70%	27.3	0.01	53.06	25
233	PTTG41C2001A	Call	129.70%	8.1	0.44	5.94	95
234	PTTG41C2002A	Call	113.40%	5.4	0.77	5.46	125
235	PTTG41C2003A	Call	121.50%	5.3	0.66	6.39	153
236	PTTG41P1912A	Put	115.80%	-3.9	-2.46	2.82	60
237	PTTG41P2001A	Put	95.80%	-4.8	-1.48	2.62	95
238	PTTG41P2002A	Put	101.70%	-3.5	-1.13	4.32	125
239	PTTG41P2003A	Put	87.00%	-4.3	-0.9	4.15	139
240	RATC41C1911A	Call	87.20%	7.8	1.68	23.05	11
241	RATC41C2001A	Call	98.60%	5.7	1.2	3.1	97
242	RATC41C2002A	Call	105.00%	7.6	0.93	4.15	109
243	RATC41C2003A	Call	110.10%	7.2	0.96	3.95	139

	DW Symbol	C/P	%Strike	Eff. Gearing	Sensitivity	DaysPerOneTick	Days to Expiry
244	ROBI41C1912A	Call	92.70%	7	1.24	3.26	38
245	ROBI41C2001A	Call	95.80%	5.8	1.48	3.13	81
246	ROBI41P2001A	Put	76.70%	-8.8	-0.24	6.66	81
247	RS41C1912A	Call	126.50%	8.7	0.36	4.22	38
248	RS41C2002A	Call	116.30%	4.4	0.77	6.04	125
249	SAWA41C1911A	Call	96.60%	6.9	1.98	1.13	32
250	SAWA41C2003A	Call	100.50%	4.2	1.18	3.63	132
251	SAWA41P1911A	Put	66.50%	0	0	759.86	11
252	SAWA41P1912A	Put	74.20%	-7	-0.36	3.11	66
253	SAWA41P2003A	Put	82.10%	-3.9	-0.64	3.48	132
254	SCB41C2001A	Call	129.30%	9.8	0.33	7.14	88
255	SCB41C2002A	Call	119.80%	7.4	0.66	5.64	125
256	SCB41P1912A	Put	102.40%	-7.2	-2.13	1.76	45
257	SCC41C2001A	Call	134.70%	20.4	0.02	52.67	81
258	SCC41C2002A	Call	129.50%	12.8	0.13	15.01	115
259	SCC41C2003A	Call	122.70%	9.9	0.54	4.52	132
260	SCC41C2004A	Call	113.00%	7.9	0.67	5.41	160
261	SCC41P2001A	Put	108.20%	-5.1	-1.01	4.9	88
262	SGP41C2001A	Call	129.30%	7.3	0.43	5.29	74
263	SPAL41C1912A	Call	134.20%	19.1	0.03	35.79	38
264	SPAL41C2001A	Call	138.10%	9.9	0.21	11.8	88
265	SPAL41C2002A	Call	124.80%	7.1	0.56	6.9	115
266	SPRC41C1911A	Call	144.10%	0	0	N/A	11
267	SPRC41C1912A	Call	129.50%	10.9	0.27	7.84	60
268	SPRC41C2001A	Call	142.60%	11.2	0.08	26.66	74
269	SPRC41C2002A	Call	120.60%	6.4	0.68	5.88	109
270	STA41C1912A	Call	132.00%	8.4	0.36	9.35	66
271	STEC41C1912A	Call	131.60%	9.7	0.3	6.93	66
272	STEC41C2001A	Call	155.80%	9.6	0.13	16.25	95
273	STEC41C2003A	Call	137.10%	6.3	0.47	7.22	132
274	STEC41P1911A	Put	117.10%	-5.4	-2.68	4.2	11
275	STEC41P2001A	Put	90.60%	-4.6	-1.03	3.37	95
276	STEC41P2003A	Put	102.70%	-3	-1.52	3.51	132
277	TASC41C1912A	Call	99.50%	6.8	1.03	2.84	45
278	TASC41C2003A	Call	111.00%	4.8	0.9	4.54	132
279	TCAP41C1911A	Call	113.90%	25	0.19	5.37	18
280	TCAP41C2002A	Call	116.40%	7	0.67	6.24	125
281	THAN41C2002A	Call	126.70%	5.8	0.54	8.11	109
282	TISC41C1911A	Call	101.60%	11.4	1	1.27	25
283	TISC41C2001A	Call	112.90%	8	0.33	5.35	81
284	TKN41C1912A	Call	98.90%	5.1	2.1	2.22	45
285	TKN41C2001A	Call	105.70%	4	0.88	7.04	95
286	TKN41C2003A	Call	119.40%	3.7	0.74	8.62	139
287	TMB41C1911A	Call	148.10%	23.3	0.01	149.4	32
288	TMB41C1912A	Call	141.70%	19.6	0.03	50.43	38
289	TMB41C2002A	Call	116.30%	6.6	0.73	6.75	102
290	TMB41P1911A	Put	109.90%	-5.9	-2.61	2.68	32
291	TMB41P2002A	Put	90.50%	-4.8	-0.95	4.91	102
292	TMB41P2003A	Put	97.50%	-3.7	-1	6.42	132
293	TOP41C1910B	Call	124.90%	0	0	428.06	4
294	TOP41C2002A	Call	116.20%	6.2	0.74	3.61	102
295	TOP41C2002B	Call	116.20%	7.1	0.67	4.22	102
296	TOP41C2003A	Call	121.40%	5.9	0.66	4.46	132
297	TOP41P1910A	Put	94.50%	-29.5	-0.55	0.63	4
298	TOP41P2002A	Put	98.30%	-3.7	-1.14	2.82	115
299	TRUE41C1910B	Call	111.50%	53.6	0.02	12.6	4
300	TRUE41C1911A	Call	128.10%	14	0.08	10.02	32
301	TRUE41C2001A	Call	148.20%	8.6	0.08	17.82	88
302	TRUE41C2001B	Call	148.20%	8.7	0.08	19	88
303	TRUE41C2002A	Call	116.10%	5.5	0.25	11.48	115
304	TRUE41C2003A	Call	122.10%	5.3	0.3	9.5	132
305	TRUE41P1911A	Put	96.10%	-7.2	-0.5	2.87	32
306	TRUE41P2001A	Put	104.10%	-3.5	-0.56	5.46	88
307	TU41C1911A	Call	135.40%	28.8	0.01	115.12	25
308	TU41C2001A	Call	156.30%	15.4	0.04	58.84	81

	DW Symbol	C/P	%Strike	Eff. Gearing	Sensitivity	DaysPerOneTick	Days to Expiry
309	TU41C2002A	Call	129.40%	8.5	0.35	12.72	115
310	TU41C2003A	Call	118.70%	6.7	0.62	10.24	139
311	TU41P1911A	Put	116.40%	-6	-2.85	33.14	11
312	TU41P2001A	Put	116.40%	-3.8	-2.68	4.96	81
313	TU41P2003A	Put	96.70%	-4.4	-1.42	5.19	132
314	WHA41C1911A	Call	106.50%	13.2	0.66	2.36	25
315	WHA41C2003A	Call	115.50%	6.1	0.8	4.72	132
316	WHA41P1912A	Put	89.80%	-7.9	-0.72	2.26	45
317	WHA41P2003A	Put	96.30%	-3.5	-0.96	3.91	139

